Cumulative Index 1986

March 1986	MEN'S HEALTH (pages 1–83) WOMEN'S HEALTH (pages 85–194)
June 1986	PERIPHERAL VASCULAR DYSFUNCTION (pages 195–272) NURSING CARE OF THE STROKE PATIENT (pages 273–379)
September 1986	PSYCHIATRIC/MENTAL HEALTH NURSING (pages 381–548)
December 1986	NEUROTRAUMA (pages 549–652) EMERGENCY NURSING (pages 653–750)

Note: Page numbers of articles and issue titles are in **boldface** type.

Abrasions, in maxillofacial trauma, 615
Abbreviated Injury Scale, in emergency care, 656
Activity, daily, assessment of, 261
in head injury, 584–585
in stroke, 346–347, 363–364, 368–370
in peripheral vascular disease, 223–224, 258
Acute treatment, in partial hospitalization, 462
Adaptive capacity, in intracranial hypertension, 564
Adaptive difficulties, in adolescents, 442–443
Adolescent(s), female, and sexuality, 130–131
mental health of, **439–450**
Adult respiratory distress syndrome, in thoracic trauma, 689–690
Affective disorders. See *Depression*.
Affective sensory stimulation, in intracranial hypertension, 573
Aftercare, mental health, **473–481**
Age, and depression, 414
and peripheral vascular disease, 259
paternal, increased, genetic disorders associated with, 56–57
Agent Orange, birth defects and, 49, 59–60
health care and, 7
Agent Orange Exposure Opportunity Index, 60
Aging, theoretical perspectives on, 75–77
Aging men, health concerns of, **75–85**
Aging women, sexuality and, 132–133
health care for, 120–121
health of, **161–171**
evaluation of, 162–165, 167–169
healthy, emerging profile of, 165–167
Agitation, in head injury, 582–583
Air bags, and prevention of neurotrauma, 550
Airway, in head injury, 698
in maxillofacial trauma, 612–614, 625
in spinal cord injury, 592–594
in thoracic trauma, 685, 687
in transport of trauma patient, 743–744

AIS/ISS, in emergency care, 661–668
Alcohol, mortality in men and, 19
in paternal abuse of, birth defects and, 58
women's abuse of, 114
Alcoholic, treatment of, 495–499
Alcoholism, and family system, 499–502
interventions in, **493–504**
stages of, 495
types of, 493–495
Allen test, in peripheral vascular disease, 209–210
All-terrain vehicles, and prevention of neurotrauma, 551
Alteration in comfort, in peripheral vascular disease, 225
Amaurosis fugax, in internal carotid artery occlusion, 277–278, 298
Amputation, traumatic, 724–725
Androgen(s), cardiovascular disease and, 69
Androgen hypothesis, 69
Androgyny, in sex roles, 20–21
Anesthetic agent(s), birth defects and, 59
Aneuploidy, definition of, 50
Aneurysm, intracranial, surgery for, 303–306
saccular, and subarachnoid hemorrhage, 281–282
Anger, in spinal cord injury, 632
Angina pectoris, in internal carotid artery occlusion, 279
Angiography, digital subtraction, 215–216, 299
in peripheral vascular disease, 216–217
in subarachnoid hemorrhage, 304
Angioplasty, percutaneous transluminal, in arterial occlusive disease, 244–245
Ankle, systolic pressure in, in peripheral vascular disease, 212
Anorexia nervosa, in adolescents, 443
Anosognosia, in stroke patient, 351
Anticoagulants, in cerebrovascular disease, 299
Antidepressant drugs, in depression, 418
nursing implications of, 399–400
side effects of, 405
Antipsychotic drugs, nursing implications of, 398–399
side effects of, 404–405
Anxiety, in spinal cord injury, 632
Anxiolytic drugs, nursing implications of, 400–401
side effects of, 405–410
Aortic transection, assessment of, 679–681
Aorto-iliac disease, surgery for, 246
Aphasia, in stroke, 323–329
Apraxia, in stroke, 351
Arm. See *Upper extremity(ies)*.
Arterial disease, extracranial, tests for, 213–215
of lower extremity, 211–213, 241–246
Arteriography, cerebral, in stroke, 284, 286
Arteriosclerosis obliterans, pathophysiology of, 195–200
Arteriovenous malformation, surgery for, 306–307
Arthritis, in women, 113
Aspirin, in ischemic stroke, 292–293
in transient ischemic attack, 294–295
Assaults, and prevention of neurotrauma, 552
Assertiveness, in trauma nursing, 738
Assessment, of blunt cardiac trauma, **676–684**
of daily activity, 261
in depression, 421–422
of family, in neurotrauma, 646–647
in head injury, 580, 699
of injury level, **655–672**
of maxillofacial trauma, 617–620
of musculoskeletal injuries, 717–718
neurologic, 557–559
in peripheral vascular disease, 207–209, **219–231**
in pharmacologic therapy, 401–403
of psychiatric emergencies, 389–395
in stroke, 312–318
in thoracic trauma, 685–686
of trauma during pregnancy, 707
of young chronic client, 453–454
Atherosclerosis, contributing factors, 65–68
and transient ischemic attack, 298
Atherothrombotic brain infarction, pathophysiology of, 276–277
Attention deficit disorder, in adolescents, 443
Attitudes, assessment of, 261
Auditory canal, in maxillofacial trauma, 618
Audio-visual materials, in health education, 268
Auscultation, in peripheral vascular disease, 209
Autonomic dysreflexia, in spinal cord injury, 595–596
Autosome, definition of, 50

Barthel index, in assessment of stroke patient, 345–346
Bathing, in intracranial hypertension, 572
Battering, spousal, and prevention of neurotrauma, 552
Behavior, in assessment, 392
in head injury, 578, 582–584
in peripheral vascular disease, **265–271**
in spinal cord injury, 606–609
in trauma, 731–732
Behavioral model, of psychiatric illness, 467

Benzodiazepines. See *Anxiolytic drugs*.
Biologic agent(s), in men's work environments, 25–26
Biologic theories, of aging, 76–77
Birth control, for women, 115–116
Birth defect(s), Agent Orange and, 59–61
causes of, 49
increased paternal age and, 56–58
paternal contributions to, 49–64
possible mechanisms of, 51–52
paternal exposure to drugs, chemicals, and physical agents and, 59–62
paternal genetic disorders and, 57
Bites, of face, 615–616
Bladder, in head injury, 560
in spinal cord injury, 603–605, 696–697
in stroke, 348
Bleeding, in crush injury of pelvis, 721
in maxillofacial trauma, 612–614
in subarachnoid hemorrhage, 303
Blood pressure, in spinal cord injury, 694–695
segmental, in peripheral vascular disease, 210
Blood supply, cerebral, 309–312
Blood vessels, in peripheral vascular disease, **195–205**
in thromboembolic disease, 293–294
Blood volume, in intracranial hypertension, 564
in trauma during pregnancy, 707
Body image, in peripheral vascular disease, 228–229
in spinal cord injury, 634
in stroke, 351
Bone, injury of, 718–720
Borderline personality disorder, **429–438**
in adolescents, 444
Bowen theory, of family systems, 486–491
Bowel, in head injury, 560
in spinal cord injury, 605–606
in stroke, 348
Bradycardia, in spinal cord injury, 696
Brain, area of, and stroke, 324
atherothrombotic infarction of, 276–277
lacunar infarction of, 279–280
volume of, in intracranial hypertension, 563–564
Brain injury, psychological aspects of, 637–639
Brainstem signs, in head injury, 558
Breathing, in head injury, 698
in maxillofacial trauma, 625
in thoracic trauma, 685
in transport of trauma patient, 743–744
in spinal cord injury, 592–594, 603, 694–695
Brown Séquard syndrome, in spinal cord injury, 592
Bruit, carotid, in internal carotid artery occlusion, 279
Burns, transport in, 744
Bypass, in arterial occlusive disease, 246
superficial temporal artery, 301–302

Carbamazepine, nursing implications of, 401
side effects of, 410
tests required for, 403
Carbon disulfide, birth defects and, 60
Cardiac output, altered, in stroke, 316
Cardiac tamponade, in thoracic trauma, 689–691
Cardiac trauma, blunt, **676–684**
Cardiovascular disease(s), **65–73**
androgens and, 69
cigarette smoking and, 67
diabetes mellitus and, 67–68
emotional inexpressiveness and, 69–70
hypercholesterolemia and, 66
nursing and research recommendations for, 70–71
obesity and, 68–69
type A behavior and, 68
unemployment and, 39
Cardiovascular system, in spinal cord injury, 595–596
Care plan, in thoracic trauma, 686
in trauma during pregnancy, 713–715
Carotid artery, internal, occlusion of, 277–278
Carotid bruit, in internal carotid artery occlusion, 279
Carotid endarterectomy, in cerebrovascular disease, 299–301
Case management, in treatment program, 469–470
Central cord syndrome, in spinal cord injury, 592
Central nervous system, in maxillofacial trauma, 615
trauma to, **693–704**
Cerebral arteriography, in stroke, 284, 286
Cerebral blood flow, nursing intervention and, 314–315
and stroke symptoms, 309–312
studies of, 299
Cerebral dominance, and stroke symptoms, 311–312
Cerebral Doppler flow evaluation, in peripheral vascular disease, 213–214
Cerebral embolism, pathophysiology of, 280–281
Cerebral function, and stroke symptoms, 311–312
Cerebral perfusion pressure, in intracranial hypertension, 565

Cerebrospinal fluid, in head injury, 701–702
in intracranial hypertension, 563–564
in maxillofacial trauma, 627
Cerebrovascular accident. See *Stroke*.
Cerebrovascular disease, drug therapy for, 289–295
pathophysiology of, **275–287**
surgery in, **297–307**
Chemical agent(s), in men's work environments, 26–27
Chest tube, management of, 691
Child abuse, and prevention of neurotrauma, 552
work-related stress and, 31
Children, thoracic trauma in, 690–691
transport of, 745
CHOP Index, in emergency care, 659–660
Chromosome(s), abnormality of, repeated pregnancy loss and infertility and, 54
men and, 52–55
Chronic conditions, and future of psychiatric nursing, 538–539
in young adults, **451–458**
Chronic venous insufficiency, management of, 250–252
Circulation, in peripheral vascular disease, 208, 236–237
in thoracic trauma, 685–686
in transport of trauma patient, 743–744
Cirrhosis, liver, unemployment and, 39
Claudication, lower extremity, in internal carotid artery occlusion, 279
Clotting cascade, drugs affecting, 289–292
Co-alcoholic, therapy with, 500–501
Cognition, assessment of, 261–262
in peripheral vascular disease, 224–226
in stroke patient, 350
Comfort, in maxillofacial trauma, 627
in spinal cord injury, 597
Communication, in aphasia, 327–328
in health education, 267
in maxillofacial trauma, 626
in stroke, 317, 321–336, 348–349, 370–371
in trauma, 734–735
Community life, unemployment and, mesosocial analysis of, 40–41
Community mental health program, aftercare in, **473–481**
family therapy in, 483–484
and future of psychiatric nursing, 539–540
Compartment syndrome, 726–727
Completed stroke, 276
Compliance with medication, in depression, 424
Comprehensive Research Injury Scale, in emergency care, 656
Computer tomography, in arteriovenous malformation, 307
in stroke, 283, 285–286, 299
in subarachnoid hemorrhage, 304
Consciousness, in head injury, 557
Conceptual models, of psychiatric illness, 466–467
Concussion, in head injury, 556
Confusion, in head injury, 582–583
Consulting, in psychiatric nursing, 529–530
Contusion, in head injury, 556
in maxillofacial trauma, 615
myocardial, 678–679
Coping strategies, in trauma, 731
Cortical structures, in head injury, 578
CRAMS Score, in emergency care, 668–669
Crisis, adolescent, 440–441
family, in neurotrauma, 645
Crisis intervention model, in emergencies, 388–389
Crush injury, of pelvis, 720–722
Crutchfield clamp, in subarachnoid hemorrhage, 305
Cultural aspects, in trauma, 732

Day hospitals, 462–464
Death, leading causes of, in women, 112
Decision-making tree, in assessment, 393–394
Defense mechanisms, in trauma, 731
of trauma nurses, 738
Deinstitutionalization, and aftercare, 473–475
and chronic client, 451–453
effect on psychiatric care, 424
Demographics, of neurotrauma, 641–642
Demystification of health care, nursing and, 90
Denial, in spinal cord injury, 632
Depression, acute, **413–427**
in adolescents, 444
Bowen theory applied to, 488–491
classification of, 414–416
Depression, definition of, 143
etiology of, 416
in peripheral vascular disease, 227–228
in spinal cord injury, 632–633
treatment of, 417–420
in women, 140–141
Depression and Related Affective Disorders Association, as mutual help group, 520–524
Diabetes mellitus, cardiovascular disease and, 67–68
in women, 113
Diagnosis, nursing, in peripheral vascular disease, **219–231**, 236–239
in stroke, **309–318**, **345–356**
Diagnostic related groups, effect on psychiatric care, 424
and stroke patient, 339–340

Diagnostic testing, for peripheral vascular disease, **207–217**
Dibromochloropropane (DBCP), birth defects and, 60
Diet, disorders of, in women, 114
Digital finger pressure, in peripheral vascular disease, 210–211
Digital subtraction angiography, in peripheral vascular disease, 215–216
  in stroke, 299
Dioxin, definition of, 60
Dipyridamole, in ischemic stroke, 293
Disability. See *Rehabilitation.*
Disabled women, physically, and sexuality, 131–132
Discharge planning, for elderly stroke patient, 341–343
  for young chronic client, 455
Discouragement, in spinal cord injury, 632
Distancer role, in alcoholism, 501
Dome-Paste boot, in chronic venous insufficiency, 251
Dominant trait, definition of, 50
Doppler flow evaluation, in peripheral vascular disease, 211, 213–214
  in stroke, 284–285
  in venous insufficiency, 214
Down syndrome, nursing implications in, 54–55
  paternal contribution to, 52–53
Drugs. See also *Medication, psychotropic.*
  interactions between, 410
  in transport of trauma patient, 747
Drug therapy, in arterial occlusive disease, 243
  in peripheral vascular disease, 237
  in stroke, **289–295**, 315
DSM III classification, of alcoholism, 493
  of depression, 415–416
Dysarthria, in stroke, 329–330
Dysphagia, in stroke patient, 349–350

Ears, in maxillofacial trauma, 618
Echocardiography, in stroke, 285
Economic factors, and future of psychiatric nursing, 537–538
Economic support, assessment of, 261
Education, health. See *Health education.*
Education, nursing, and aftercare, 479–480
  and future of psychiatric nursing, 540–541
  for group therapy, 510–513
  for liaison nursing, 528–529
  for private practice in psychiatric nursing, 530
  for psychiatric nurse consulting, 529
  parent, and adolescent mental health, 445–446
Education model, of psychiatric illness, 467
Educational program, development of, 266–271
Egalitarianism, in women's health movement, 89
Elderly, and future of psychiatric nursing, 539
  myths about, 340–341
  rehabilitation after stroke, **339–343**
Electroconvulsive therapy, in depression, 419–420
Electrolyte balance, in stroke, 316
Elimination, in head injury, 560
  in spinal cord injury, 603–606
Embolectomy, middle cerebral, 302
Embolism, cerebral, pathophysiology of, 280–281
  fat, 725–726
Emergency, psychiatric, assessment in, 389–395
    definition of, 387–388
    evaluation of, **387–396**
Emergency department, patient transport from, 743–746
Emergency nursing (issue), **655–749**
Emergency service, and young chronic client, 457
Emotion(s), in head injury, 578
  in trauma, **729–740**
Emotional cutoff, in alcoholism, 501
  in Bowen theory, 488
Emotional inexpressiveness, and cardiovascular disease, 69–70
Emotional support, assessment of, 261
Endarterectomy, carotid, in cerebrovascular disease, 299–301
Endotracheal suction, in intracranial hypertension, 572
Endurance, impaired, in stroke, 353–354
Environment, structured, in trauma intervention, 734
  therapeutic. See also *Milieu, therapeutic.*
    in treatment of adolescent patient, 446–448
Environmental stressors, in intensive care unit, 630–631
Environmental support, assessment of, 261
Epidemiology, of trauma in pregnancy, **705–716**
Epidural hematoma, in head injury, 556, 700
Epilepsy, anticonvulsants for, and birth defects, 58
Esophagus, in thoracic trauma, 690
Ethylene dibromide (EDB), birth defects and, 61
Evaluation, in pharmacologic treatment, 410–411
  of psychiatric emergency, **387–396**
Evening hospitals, 462–464

Exercise, in peripheral vascular disease, 223–224, 268–271
retardation of atherosclerosis and, 67
in stroke, 360–363
Extracranial arterial disease, tests for, 213–215
Extrapyramidal symptoms, with antipsychotic drugs, 404
Extremity(ies). See *Lower extremity(ies), Upper extremity(ies).*
Eyes, in internal carotid artery occlusion, 279
in maxillofacial trauma, 618

Face, numbness of, in internal carotid artery occlusion, 278
Falls, and prevention of neurotrauma, 552
Familial factors, and depression, 414
Family, of alcoholic, **493–504**
functional, 484–485
in head injury, 561, 584
and transport of trauma patient, 748
in trauma, 734–737
Family care, of young chronic client, 457
Family-centered care, in neurotrauma, **641–652**
Family system, and alcoholism, 499–502
Family theory, and partial hospitalization, 465
Family therapy. See *Therapy, family.*
Fat embolus, in musculoskeletal injury, 725–726
Feedback, in health education, 267
"Feminization of poverty," 117, 121
Fetus, in trauma during pregnancy, **705–716**
Fibrin plug, platelet, in thromboembolic disease, 293–294
Firearms, and prevention of neurotrauma, 553
Flail chest, in thoracic trauma, 688–689
Flight, in transport of trauma patient, 742
Fluid balance, in stroke, 316
Fluid volume, in maxillofacial trauma, 612–614, 625–626
Foot care, in arterial occlusive disease, 243
Fracture(s), assessment and management of, **717–727**
in maxillofacial trauma, 620–624
open, 722–723
of skull, 556

Gangrene, in peripheral vascular disease, 239
Gastrointestinal function, in spinal cord injury, 696
Gender, definition of, 8
Gender identity, nursing and, 11
Genetic disorder(s), paternal, and birth defects, 57
Genetic factors, and depression, 414
Genotype, definition of, 50
Glascow Coma Scale, in assessment of head injury, 557–559
in emergency care, 656–657
Grieving, in spinal cord injury, 633
Groups, mutual help. See *Mutual help groups.*
Group therapy. See *Therapy, group.*
Growth and development, and peripheral vascular disease, 259
Guanethidine, side effects of, 58
Guilt, in trauma, 733–734

Halo device, in spinal cord injury, 596
Hand, injury to, 723–724
in stroke care, 368
Hand exercise test, in peripheral vascular disease, 209–210
Head, position of, in intracranial hypertension, 570–572
Headache, in internal carotid artery occlusion, 278
in subarachnoid hemorrhage, 303
Head injury, acute, 697–698
care of, **555–562**
rehabilitation in, **577–587**
Healing, in musculoskeletal injury, 718–720
Health, joblessness and, 38
mental, women and, 114–115, **137–149**. See also *Mental health, of women.*
of men, impact of myth of masculinity on, **15–23**
morbidity and mortality in, 17–19
nurse's role in, **3–13**, 20–21
positive possibilities of, 7–10
of women, 3–6
changing factors and needs in, **111–123**
changing times, **87–97**. See also *Women's health movement.*
economic and social factors affecting, 116–121
elderly, 120–121
morbidity in, 113–115
mortality rates in, 111–113
reproductive system concerns, 115–116
strategies for, in joblessness, 42–44
unemployment and, **37–47**
work and, 119–120
Health assessment, in peripheral vascular disease, 207–209
Health care, for jobless, 44–45
Health concern(s), of aging men, **75–85**
Health education, in peripheral vascular disease, **265–271**

Health education *(Continued)*
in stroke, 318, 346–347
Health management deficit, in peripheral vascular disease, 220–222
Health perception, and peripheral vascular disease, 258
Health risk(s), occupational, **25–36**
assessment of, 31–35
of aging men, nursing implications for, 80–81
Health status, in the elderly, evaluation of, 162–165, 167–169
Health status indicator(s), for women, 111–116
Heart disease, **65–73**. See also *Cardiovascular disease.*
Helmets, motorcycle, and prevention of neurotrauma, 551
Hematoma, in head injury, 556–557
Hemiplegia, in stroke, 351
Hemorrhagic stroke, pathophysiology of, 281–283, 285–286
surgery for, 303–306
Heparin, in ischemic stroke, 289–291
Highway design, and prevention of neurotrauma, 552
History, of aftercare, 473–475
of group therapy, 506–607
health, in peripheral vascular disease, 207–208
of mutual help groups, 515–516
of partial hospitalization, 462
of psychiatric nursing, 381–383
Holter electrocardiography, in stroke, 285
Homicidal ideation, in emergencies, 393
Hormone replacement therapy (HRT), 101
Hospital administration, and treatment team, 435–437
Hospitalization, partial, **461–471**
Hypercholesterolemia, and cardiovascular disease, 66
risk factor modification in, 233–234
Hypertension, and atherosclerosis, 66
intracranial, **563–576**
risk factor modification in, 234–235
in women, 113
Hypertensive intraparenchymal hemorrhage, pathophysiology of, 282–283
Hyperthermia, birth defects and, 61
Hypotension, in spinal cord injury, 694–695

Infection, in maxillofacial trauma, 627
in peripheral vascular disease, 222, 239
urinary tract, in women, 113
Infertility, chromosome abnormality and, 54
Infrared thermography, in peripheral vascular disease, 214–215
Information overload, in health education, 268
Injury(ies), head. See *Head injury.*
indices of, **655–672**
musculoskeletal, assessment and management of, **717–727**
potential for, in peripheral vascular disease, 222
prevention after stroke, 361
spinal cord. See *Spinal cord injury.*
Injury and illness rate(s), occupational, 28–31
Injury Severity Score, in emergency care, 657–659
Intensive care unit, neurotrauma patient in, 630–632
transport from, 746–748
Interdisciplinary approach, to stroke care, **359–374**
Intermittent claudication, in peripheral vascular disease, 207
Internal carotid artery occlusion, pathophysiology of, 277–278
Intervention, nursing. See also *Management, nursing.*
in emotional aspects of trauma, 732–733
in peripheral vascular disease, **233–239**
in spinal cord injury, 635–637
and stroke rehabilitation, **345–356**
in trauma during pregnancy, 707–709
Interview, in assessment, 389–393
Intracerebral hemorrhage, in head injury, 557
Intracranial adaptive capacity, in intracranial hypertension, 564–566
Intracranial aneurysm, surgery for, 303–306
Intracranial hypertension, care of, **563–576**
Intracranial pressure, in head injury, 701–702
Invasive diagnostic tests, in peripheral vascular disease, 215–217
Inversion, definition of, 50
Ischemia, vertebrobasilar, surgery for, 302
Ischemic stroke, drug therapy for, **289–295**
pathophysiology of, 276–281, 283–286

Immobilization, in spinal cord injury, 693–695
Impedance plethysmography, in venous insufficiency, 214
Independence, loss of, in spinal cord injury, 633–634

Joblessness, and health, 38
and one's family, microsocial analysis of, 41–42
definition of, 37
health care in, 44–45
strategies for health promotion in, 42–44

Joblessness *(Continued)*
stress in, 38
Job-related stress, and peripheral vascular disease, 256–257

Knowledge deficit, diagnosis of, 225–226

Labor, premature, in trauma during pregnancy, 713
Lacerations, in maxillofacial trauma, 615
Lacunar infarction of brain, 279–280
Laser thermal angioplasty, in arterial occlusive disease, 245
Lead, adverse effects of, on reproduction, 59
Learning, in stroke rehabilitation, 362
Left hemisphere, and aphasia, 324–326
and communication, 324
vs. right, 322–323
LeFort fracture, in maxillofacial trauma, 621–624
Leg. See *Lower extremity(ies).*
Legionella pneumophila, in Legionnaires' disease, 24
Legionnaires' disease, 24
Lesbian(s), and sexuality, 133
Leverage, in treatment of alcoholic, 498–499
Liaison nursing, in psychiatric nursing practice, 528–529
Lithium carbonate, in depression, 419
nursing implications of, 400
side effects of, 405
tests required for, 403
Loss, catastrophic, in neurotrauma, 629–630
Lower extremity(ies), arterial disease of, 211–213, 241–246
circulation in, in peripheral vascular disease, 236–237
in internal carotid artery occlusion, 279
venous disease of, 246–252
Lumbar puncture, in stroke, 286
Lymphedema, pathophysiology of, 204–205

Macrosocial analysis, unemployment and health, 39–40
Male sex role hypothesis, 69–70
Management, nursing. See *Intervention, nursing.*
Mandibular fracture, in maxillofacial trauma, 624
Marginality, of nurse administrators, 173–183
Masculinity, myths of, 15–23
Massive hemothorax, in thoracic trauma, 688
Maxillary fracture, in maxillofacial trauma, 621–624
Maxillofacial trauma, care in, 611–628
Mechanical agent(s), in men's work environments, 27
Medical model, of psychiatric illness, 467
Medication, psychotropic, 397–411
actions and uses of, 397–401
compliance with, 424
in depression, 418–419, 422, 424
nursing implications of, 397–411
and young chronic client, 455–456
Men, aging, health concerns of, 75–85. See also *Aging men.*
health of. See *Health, of men.*
Men Against Sexism, in men's health movement, 8
Menopause, 152–153
Menstruation, disorders of, 113
Mental health, of women, 114–117, 137–149
case study of, 142–148
guidelines for therapy, 141–142
social context of, 140–141
symbolic interactionism in, 139
Mental health nursing. See *Nursing, psychiatric.*
Mental status examination, in emergencies, 392
Mesosocial analysis, unemployment and community life, 40–41
Metabolic pattern, in peripheral vascular disease, 222–223
Methylmercury, male abnormalities and, 61
Microsocial analysis, jobless male and his family, 41–42
Middle cerebral embolectomy, in cerebrovascular disease, 302
Midlife women, environmental stress and, 153–155
health of, developmental concerns of, 151–159
menopause and, 152–153
Milieu, therapeutic. See also *Environment, therapeutic.*
in borderline personality disorder, 430
Military antishock trousers, in head injury, 698–699
Mitchell, Silar Weir, 100
Mobility, in head injury, 560
in spinal cord injury, 596–597, 600–602
in stroke, 347
Monitoring, in drug therapy for stroke, 291–293
Monoamine oxidase inhibitors. See *Antidepressant drugs.*
Mortality rate(s), by disease and occupation, 32–33

Mosaicism, definition of, 50
Mother, pregnant, trauma to, **705–716**
Motorcycles, and prevention of neurotrauma, 551
Motor function, in head injury, 558
  in maxillofacial trauma, 618
  in spinal cord injury, 694
  after stroke, 361–363
Motor vehicles, and prevention of neurotrauma, 550
Mouth, in maxillofacial trauma, 618
Mucous membranes, in maxillofacial trauma, 626
Multidisciplinary approach, to stroke patient, 322
Multigenerational transmission process, in alcoholism, 502
  in Bowen theory, 487
Muscle testing, in spinal cord injury, 596–597
Musculoskeletal injuries and management of, **717–727**
Mutagen, definition of, 50
Mutation(s), birth defects and, 49–50
  definition of, 50
  gene, in children of older fathers, 55–57
Mutual help groups, function of, 516–517
  history of, 515–516
  nursing and, **515–525**
  organization of, 517–518
  professionals and, 518–520
Myocardial contusion, assessment of, 678–679
Myocardial rupture, assessment of, 681–682

Narcotic(s), paternal abuse of, and birth defects, 58
  women's abuse of, 114
Neuropsychological effects, of stroke, 321–323
Neurotrauma (issue), **549–651**
  family-centered care in, **641–652**
  prevention of, **549–554**
    psychological issues in, **629–640**
Night hospitals, 462–464
Noncompliance, in peripheral vascular disease, 220
  research on, 265–266
Nondisjunction, definition of, 50
Nonhemorrhagic stroke, surgery for, 297–302
Noninvasive tests, in peripheral vascular disease, 209–215
Nose, in maxillofacial trauma, 618
Nuclear family emotional system, in Bowen theory, 486–487
Nuclear magnetic resonance, in stroke, 284
Numbness, in internal carotid artery occlusion, 278
Nurse(s), male, in men's health movement, 10–11
  trauma, 737–739
Nurse-client relationship, in depression, 423–424
Nursing, in aphasia, 326–327
  in blunt cardiac trauma, 682–683
  in brain injury, 638–639
  in head injury, 580–585
  in intracranial hypertension, 568–573
  in neurotrauma, 631–632, 647–650
  in peripheral vascular disease, **233–239**
  philosophy of, in women's health movement, 91–92
  psychiatric (issue), **381–543**. See also under specific conditions and interventions.
    in aftercare, **473–481**
    definition of, 383–384
    in depression, 420–425
    in emergencies, 388
    expanded practice in, 527–535
    in family therapy, **483–491**
    functions of, 384–385
    future of, **537–543**
    history of, 381–383
    and mutual health groups, **515–525**
    overview of, **381–386**
    in partial hospital setting, 467–470
  in aging men, 80–82
  in aging women, 161–162, 170
  in cardiovascular disease, 70
  in chromosome abnormalities, 54–55
  in joblessness, 42–44
  in men's health, 20–21
  in midlife women, 157–158
  practical knowledge and, 174–177
  in right hemisphere injury, 332–333
  role of, and female sexual health, 126–127
  socialization of, 103–107
  of spinal cord injury, **589–598**
  in thoracic trauma, 686–691
  in transport of trauma patient, 741–743
  using new definitions of women's sexuality, 133–134
  wholism in, 90
Nursing diagnosis, in stroke, **309–318, 345–356**
Nursing education administrator(s), **185–192**
  career progression of, 186–188
  effects of affirmative action on, 188–189
  trends in, 185–186
Nursing education and practice, history of, 105–107
Nursing service administrator(s), marginality of, **173–183**
  socialization of, 176–178

Nutrition, in head injury, 559–560
in maxillofacial trauma, 626–627
in peripheral vascular disease, 222
in stroke, 316–317

Obesity, cardiovascular disease and, 67–68
Occupational therapy, in stroke care, 363–371
Ocular plethysmography, in peripheral vascular disease, 213
Open pneumothorax, in thoracic trauma, 688
Ophthalmodynamometry, in stroke, 284
Oppression, definition of, 143
Optic nerve damage, in stroke, 352–353
Orbital fracture, in maxillofacial trauma, 620–621
Orthostatic hypotension, in spinal cord injury, 595
Osteoporosis, in women, 113
Outflow disease, surgery for, 246
Outpatient treatment, of young chronic client, 456–458

Pain, as stress in trauma, 730
Parent education, and adolescent mental health, 445–446
Partial nonprogressing stroke, 275
Partial hospitalization, **461–471**
Pathophysiology, of peripheral vascular disease, **195–205**
Patient education. See *Health education*.
Peer pressure, and peripheral vascular disease, 257–258
Pelvic self-examination(s), in women's health movement, 4–6
Pelvis, crush injury of, 720–722
Perception, in assessment, 393
in peripheral vascular disease, 224–226
in stroke, 317–318, 350–353
Percutaneous transluminal angioplasty, in arterial occlusive disease, 224–245
Peripheral vascular disease, anxiety in, 227
coping in, 229–230
drug therapy in, 237
economic stressors and, 257
emotions in, 226–229
issue on, **195–272.** See also specific conditions.
life events, stressful, and, 257
nursing goals in, 236
pain in, 238–239
powerlessness in, 228
radionuclide studies in, 215
social relationships in, 229
Peripheral vascular disease *(Continued)*
subjective response in, 258
tissue damage in, 239
Personal health promotion, assessment of, 261
Personality changes, in head injury, 578
Personality disorder. See *Borderline personality disorder*.
Pharmacotherapy. see *Drug therapy*.
Phenothiazines. See Antipsychotic drugs.
Phenytoin, and birth defects, 58
Phonoangiography, carotid, in stroke, 284
Physical agent(s), in men's work environments, 27
Physical mobility, in spinal cord injury, 600–602
Physical therapy, in head injury, 582
in stroke care, 360–363
Placement, in emergencies, 394–395
Platelet function, drugs affecting, 292–294
Plethysmography, in peripheral vascular disease, 211–212
in stroke, 284
Pneumatic antishock garment, in transport of trauma patient, 744–745
Pneumothorax, in thoracic trauma, 687–688
Polypharmacy, in psychiatric treatment, 410
Position, patient, in intracranial hypertension, 568–569
Pregnancy, loss of, chromosome abnormality and, 54
physically disabled women and, 131–132
trauma in, **705–716**
Premature labor, in trauma during pregnancy, 713
Prevention, of mental illness, 385
of neurotrauma, **549–554**
Private practice, in psychiatric nursing, 530–534
Professionals, and mutual help groups, 518–520
Progressing stroke, 275–276
Projection, family process, in Bowen theory, 487
Proton beam therapy, in arteriovenous malformation, 307
Pseudoparkinsonism, with antipsychotic drugs, 404
Psychiatric nursing. See *Nursing, psychiatric*.
Psychoanalytic theory, vs. family therapy, 484
Psychological issues, in neurotrauma, **629–640**
in trauma, **729–740**
Psychological system, assessment of, 261–262
Psychopharmacology. See *Medication, psychotropic*.

Psychotherapy, in depression, 420
group. See *Therapy, group*.
Psychosocial agent(s), in men's work environments, 28
Psychosocial aspects, of peripheral vascular disease, 255–262
of stroke, 321–323, 343–356
Psychosocial diagnosis, in stroke, 318
Psychosocial intervention, in stroke care, 372–373
Psychosocial theories, of aging, 77
Psychotropic medication. See *Medication, psychotropic*.
Pulmonary embolism, stroke and, 315
Pulmonary function, in spinal cord injury, 592–594
Pulse, in peripheral vascular disease, 209
PULSES profile, in assessment of stroke patient, 345–346
Pupils, in head injuury, 557
Pursuer role, in alcoholism, 501

Radiation, and birth defect, 61
Radioactive fibrinogen uptake, in venous insufficiency, 214
Rancho Los Amigos Scale of Cognitive Levels, 580–585
Raynaud's disease, pathophysiology of, 200–201
Reactive depression, in peripheral vascular disease, 227–228
Recessive trait, definition of, 50
Referral, in emergencies, 394–395
Rehabilitation, in head injury, **557–587**
long-term, in partial hospitalization, 462
in spinal cord injury, **559–610**
in stroke, of elderly patient, **339–343**
learning in, 352
nursing diagnosis and intervention for, **345–356**
Relationship(s), social, in peripheral vascular disease, 229
therapeutic, in treatment of adolescent patient, 448–449
Reproductioin, paternal, exposure to drugs, chemicals, and physical agents and, 57–62
Research, nursing, and intracranial hypertension, 566–573
in partial hospitalizatioin, 465–466
respiration. See *Breathing*.
Resuscitation, in central nervous system trauma, **693–704**
in trauma during pregnancy, 707–713
Retirement, men's adjustment to, nursing implications for, 79, 81–82
Reversal, in treatment of alcoholic, 495–498
Reversible ischemic neurologic deficit, 275
Reorganization, of family, in neurotrauma, 647–650
Right hemisphere, syndromes of, 330–336
vs. left, 322–323
Risk factor modification, in arterial occlusive disease, 242–243
in ischemic stroke, 294–295
in peripheral vascular disease, 233–236
Role(s), of men in society, 15–17
of trauma nurse coordinator, **673–675**
Role realignment, family, in neurotrauma, 649

Saccular aneurysm, and subarachnoid hemorrhage, 281–282
Schizophrenia, in adolescents, 444–445
in young adults, 456
Seat belts, and prevention of neurotrauma, 550
Secretion clearance, in spinal cord injury, 592–594
Segmental pressure, in peripheral vascular disease, 210
Seizure activity, in head injury, 560–561
Self, differentiation of, in Bowen theory, 487
Self-care, in head injury, 583–585
in spinal cord injury, 605–606
Self-concept, in maxillofacial trauma, 627
in spinal cord injury, 606–609
Self-esteem, in trauma, 734
Self-help group. See *Mutual help groups*.
Self-perception, in peripheral vascular disease, 226–229
Sensory function, in head injury, 558
in maxillofacial trauma, 618, 627–628
in spinal cord injury, 694
Sensory stimulation, in head injury, 581–582
in intracranial hypertension, 573
Sex, and depression, 414
Sex chromosome, definition of, 50
Sex chromosome disorder(s), 53–54
Sex role stereotyping, in health care, 16–17
aging men and, 80
aging women and, 132–133
female, adolescents and, 130–131
implications for, 82
lesbians and, 132
new definitions of, 128–129
nursing care in, 133–134
in the physically disabled, 131–132
redefining, **125–136**
role of nursing in, 126–127
in spinal cord injury, 609, 634
in stroke, 355
traditional views, 125–126

Shoulder, in stroke care, 368
Sibling position, in Bowen theory, 487–488
Side effects, of psychotropic medications, 404–410
Skin, in peripheral vascular disease, 208–209, 222–223
in spinal cord injury, 602, 697
Skull, fracture of, 556
Sleep, in spinal cord injury, 597–598
Slings, in stroke care, 367–368
Smoking, and cardiovascular disease, 67
incidence of, in work environments, 30
and mortality in men, 19
in peripheral vascular disease, 267
risk factor modification in, 235–236
Social model, of psychiatric illness, 467
Social security, for elderly women, 121
Social skills, training in, 454–455
Social worker, in stroke care, 371–373
Society, emotional process in, in Bowen theory, 488
Sociologic factors, in peripheral vascular disease, 257–258
Sociologic system, assessment of, 261
Soft tissue(s), injury of, 718–720
in maxillofacial trauma, 615–617
Soft tissue shortening, prevention after stroke, 360–361
Spinal cord injury, acute, 693–697
care of, **589–598**
psychological aspects of, 632–634
rehabilitation in, **599–610**
spinal shock in, 595
transport in, 744
types of, 590–592
Sports injuries, and prevention of neurotrauma, 552
Staff, nursing, in spinal cord injury, 634–635
Standards of Psychiatric and Mental Health Nursing Practice, 384
STEP/TEEN program, in parent education, 444–445
Stimulation, sensory, in head injury, 581–582
in intracranial hypertension, 573
Stress, environmental, in intensive care unit, 630–631
midlife women and, 153–155
in joblessness, 8, 41–42
response to, assessment of, 262
in trauma experience, 729–730
work-related, and child abuse, 31
Stress testing, in peripheral vascular disease, 212–213
Stress theory, and peripheral vascular disease, 256–257
Stress tolerance, in peripheral vascular disease, 229–230
Stroke, drug therapy in, **289–295**, 315
issue on, **275–374**. See also specific conditions.
Stroke care, sitting positions in, 364–367
team approach to, **359–374**
thought process in, 317–318
wrist in, 368
Structure, and adolescent patient, 446–448
and young chronic client, 454–455
Subarachnoid hemorrhage, in head injury, 557
saccular aneurysm and, 281–282
surgery for, 303–306
Subcortical structures, in head injury, 579
Subdural hematoma, in head injury, 557, 700
Suicidal ideation, in emergencies, 393
Suicide, in depression, 413–414, 421–422
unemployment and, 40
Superficial temporal artery bypass, in cerebrovascular disease, 301–302
Supernatural, concept of, in Bowen theory, 488
Surgery, in arterial occlusive disease, 245–246
in cerebrovascular disease, **297–307**
Swallowing, altered, in stroke patient, 349–350
Symbolic interactionism, and women's mental health, 139
System, family as, 485–488
and alcoholism, 499–502
Systems theory, in neurotrauma, 642–645
Systolic pressure, ankle, in peripheral vascular disease, 212

Tardive dyskinesia, antipsychotic drugs and, 404–405
Tattooing, accidental, in maxillofacial trauma, 615
Team, treatment, in borderline personality disorder, 432–437
and hospital administration, 435–437
in trauma nursing, 738
and young chronic client, 454–456
Tegretol. See *Carbamazepine*.
Temperature, skin, in peripheral vascular disease, 211
in transport of trauma patient, 745
Tension pneumothorax, in thoracic trauma, 687–688
Teratogen, definition of, 50
Testing, diagnostic, for peripheral vascular disease, **207–217**
Theory, systems, in neurotrauma, 642–645
Therapy, of alcoholic, 495–499
brief, in partial hospitalization, 462
of depression, 417–420
family, **483–491**
in borderline personality disorder, 430–431
Bowen theory and, 488–491
vs. psychoanalytic theory, 484

Therapy *(Continued)*
group, **505–514**
borderline personality disorder, 431–432
definition of, 505–506
education for, 510–513
history of, 506–507
therapeutic aspects of, 507–509
types of, 509–510
occupational, in borderline personality disorder, 432
outpatient. See *Outpatient treatment*.
Therapeutic milieu. See *Milieu, therapeutic*.
Therapeutic relationship. See *Relationship, therapeutic*.
Thermography, infrared, in peripheral vascular disease, 214–215
Thoracic trauma, in emergency nursing, **685–692**
Threat, in trauma experience, 729–730
Thromboangitis obliterans, pathophysiology of, 200
Thrombosis, deep vein, acute, 248–250
in spinal cord injury, 595
venous, 214–215, 248–250
Tibial artery atherosclerosis, surgery for, 246
Tissue perfusion, altered, in peripheral vascular disease, 224
Tracheobronchial rupture, in thoracic trauma, 690
Traction, in transport of trauma patient, 747
Transient ischemic attack, 275
in internal carotid artery occlusion, 298
risk factor modification in, 294
time course of, 279
Translocation, definition of, 50
Transport, of trauma patient, **741–749**
Transportation, and prevention of neurotrauma, 550–551
Trauma. See also *Injury* and specific types of trauma.
avoidance of, in arterial occlusive disease, 243
blunt cardiac, 676–684
central nervous system, **693–704**
emotional aspects of, **729–740**
patient transport in, **741–749**
in pregnancy, **705–716**
prevention after stroke, 361
thoracic, **685–692**
Trauma care centers, regionalized, 553
Trauma nurse coordinator, role of, **673–675**
Trauma Score, in emergency care, 661–668
Traumatic amputation, care of, 724–725
Treatment program case management in, 469–470
conceptual models and, 466–467
in emergencies, 394–395
in pharmacologic therapy, 403–404
Treatment team. See *Team, treatment*.
Triangle, in alcoholism, 501–502
in Bowen theory, 487
Tricyclic antidepressants. See *Antidepressant drugs*.
Triploid, definition of, 50
Trisomy, definition of, 50
Trisomy, 21, nursing implications in, 54–55
paternal contribution to, 52
TRISS Index, in emergency care, 661–668
Turning, of patient, in intracranial hypertension, 569–570
Tube feedings, in stroke, 317
Type A behavior, and cardiovascular disease, 68
and peripheral vascular disease, 256

Ulcer, skin, arterial vs. venous, 222–223
in peripheral vascular disease, 239
Ultrasound imaging, in stroke, 284
Unemployment, and community life, mesosocial analysis of, 40–41
and health, 37–47
and heart disease, 39
and liver cirrhosis, 39
and suicide, 40
definition of, 37
Unna boot, in chronic venous insufficiency, 251
Upper extremity(ies), occupational therapy for, 364
Urinary elimination, in stroke, 316

Values, personal, assessment of, 262
and peripheral vascular disease, 259–260
Varicose veins, pathophysiology of, 202–204
Vascularity, in musculoskeletal injuries, 719–720
Vascular obstruction, prevention of, 237–238
Vasodilatation, promotion of, in peripheral vascular disease, 237
Venous disease, of lower extremities, 246–252
Venous insufficiency, chronic, 250–252
pathophysiology of, 201–202
tests for, 214–215
Vertebrobasilar ischemia, and stroke, 298
surgery for, 302
Vinyl chloride, and birth defects, 61
Violence, women and, 114
Visual field defects, in stroke, 351–352
Visual loss, in internal carotid artery occlusion, 277–278
Vital signs, in head injury, 559
Voluntary associations. See *Mutual help groups*.

Warfarin, in ischemic stroke, 290–291
Weir Mitchell Rest Cure, 100
Wernicke's area, and aphasia, 324
Wholism, in women's health movement, 90
Wilson, Robert, 101
Women, and mental health, **137–149**. See also *Mental health of women*.
  as health care providers, 103–107
  as patients, 99–103
  in the 19th century: The Weir Mitchell rest cure, 100
  in the 20th century: Hormone replacement therapy, 100
  health of. See *Health, of women*.
  midlife, health of, developmental concerns and, **151–159**. See also *Midlife women, health of*.
  older, health of 161–171. See also *Aging women, health of*.
  working, health in, 118–120
Women's health movement, 3–6
  changing times, **87–97**
  egalitarianism in, 89
Women's health movement *(Continued)*
  from patient to consumer, from apprentice to professional practitioner, **99–109**
  new definitions and values, 88–95
  nursing and, **87–97**
  wholism in, 90
Work environment(s), men's, and health risks, **25–36**
  high-risk groups in, 28–31
Wound infection, in peripheral vascular disease, 239

Young adults, chronic conditions in, **451–458**

Zygomatic fracture, in maxillofacial trauma, 620–621

Statement of Ownership, Management, and Circulation
(Act of August 12, 1970: Section 3685, Title 39, United States Code)

1. Date of filing: July 18, 1986.
2. Title of publication: Nursing Clinics of North America.
3. Frequency of issue: Quarterly
4. Location of known office of publication: CBS Educational and Professional Publishing, 151 Benigno Boulevard, Bellmawr, NJ 08031.
5. Location of the headquarters or general business offices of the publisher: 210 West Washington Square, Philadelphia, PA 19105.
6. Names and addresses of publisher, editor, and managing editor: Publisher, W. B. Saunders Company, a division of CBS, Inc., 210 West Washington Square, Philadelphia, PA 19105; Editor, Lisa McAllister, c/o W. B. Saunders Company, 210 West Washington Square, Philadelphia, PA 19105; Managing Editor, Barbara Conover.
7. Holders of record 1% or more of CBS voting stock as of July 18, 1986: Cede & Co., c/o Depository Trust Company, P.O. Box 20, Bowling Green Station, New York, NY 10274; Kane & Co., c/o Chase Manhattan Bank, 1 Chase Manhattan Plaza, New York, NY 10081; Kray & Co., 1 Financial Place, 440 South LaSalle Street, Chicago, IL 60605; The Northwestern Mutual Life Insurance Company, 720 E. Wisconsin Avenue, Milwaukee, WI 53202; W. S. Paley, 51 West 52 Street, New York, NY 10019; The Prudential Insurance Company of America, Gateway 3, 100 Mulberry Street, Newark, NJ 07102; Raytheon Financial Corporation, 141 Spring Street, Lexington, MA 02173.
8. Holders of CBS long term debt in amounts greater than 1% of total long term debt: Cede & Co., Depository Trust Co., Box 20, Bowling Green Station, New York, NY 10274; Kray & Co., One Financial Plaza, 440 S. LaSalle Street, Chicago, IL 60605; Permanent University Fund of the University of Texas, P.O. Box 7968, Austin, TX 78712. Please note this is as of May 15, 1986. In addition, we do not know the identity of holders of the 11⅜% Euro-Notes, since they are in bearer form.
9. Paragraphs 7 and 8 include, in cases in which the stockholder or security holder appears upon the books of the company as a trustee or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting. Also the statements in the three paragraphs show the affiant's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees hold stock and securities in a capacity other than that of a bona fide owner. Names and addresses of individuals who are stockholders of a corporation which itself is a stockholder or holder of bonds, mortgages, or other securities of the publishing corporation have been included in paragraphs 7 and 8 when the interests of such individuals are equivalent to 1 per cent or more of the total amount of the stock or securities of the publishing corporation.
10.

	Av. No. Copies Each Issue During Preceding 12 Mos.	Single Issue Nearest to Filing Date
A. Total number of copies printed (net press run)	11,500	11,000
B. Paid circulation		
1. Sales through dealers and carriers, street vendors, and counter sales	——	——
2. Mail subscriptions	8,905	7,384
C. Total paid circulation	8,905	7,384
D. Free distribution by mail, carrier or other means	85	87
1. Samples, complimentary, and other free copies		
2. Copies distributed to news agents, but not sold	——	——
E. Total distribution (sum of C and D)	8,990	7,471
F. Office use, left-over, unaccounted, spoiled after printing	2,510	3,529
G. Total (sum of E and F—should equal net press run shown in A)	11,500	11,000

I certify that the statements made by me above are correct and complete.

Michael A. Miller,
Director of Accounting

Changing Your Address?

Make sure your subscription changes too! When you notify us of your new address, you can help make our job easier by including an exact copy of your Clinics label number with your old address (see illustration below). This number identifies you to our computer system and will speed the processing of your address change. Please be sure this label number accompanies your old address and your corrected address—you can send an old Clinics label with your number on it or just copy it exactly and send it to the address listed below.

We appreciate your help in our attempt to give you continuous coverage. Thank you.



Your Clinics Label Number

Copy it exactly or send your label along with your address to:
W. B. Saunders Company, Fulfillment Services
West Washington Square, Philadelphia, PA 19105.

Please allow four to six weeks for delivery of new subscriptions and for processing address changes.

KEEP CURRENT WITH W.B. SAUNDERS
THE NURSING CLINICS



SUBSCRIBE TODAY!

1986 topics include • Men's Health and Women's Health • Care of the Stroke Patient and Peripheral Vascular Disease • Psychiatric and Community Mental Health Nursing • Neurotrauma and Emergency Nursing

Keep current with the latest nursing developments and techniques with this unique quarterly from Saunders. Written by recognized authorities in the field, each issue focuses on a topic of current concern and presents concise, clinical articles in a durable hardcover format. You'll find up-to-date guidance you can refer to again and again.

Subscribe today for only $30.00 per year and save $17.80 over the single issue price! Just fill out the card below—be sure to check any additional Clinics you'd like to subscribe to—and drop it in the mail today!

Changing your address? Please notify us promptly so your subscription can continue uninterrupted. If available, submit your Clinics mailing label with your address change, or copy your Clinics label number exactly in the space provided below. Please allow 4 to 6 weeks for processing address changes.

Canadian Subscribers—Please send your orders to W.B. Saunders Company, 1 Goldthorne Avenue, Toronto, Ontario M8Z 5T9.

SUBSCRIBE TODAY! DETACH AND MAIL THIS NO-RISK CARD TODAY!

YES! Please start my subscription to **THE NURSING CLINICS,** published quarterly at $30.00 with the current issue, and continue my subscription at the then current price until I notify you otherwise. If not completely satisfied after receiving my first issue, I may write "cancel my subscription" on the invoice and return it to W.B. Saunders within 30 days. The first issue is mine to keep free. **PLEASE PRINT**

☐ Check enclosed
☐ Charge my credit card ☐ VISA ☐ MASTERCARD
☐ My credit card # is

_____

Expiration Date ____

Signature _____
Add sales tax where applicable.

Beginning with the current issue, also start my subscription to the following Clinics under the same option described above:
☐ **Critical Care Clinics**
Published quarterly. $50.00 per year.
☐ **Clinics in Obstetrics and Gynaecology**
Published quarterly. $60.00 per year.
☐ **The Pediatric Clinics of North America**
Published bi-monthly. $45.00 per year.
☐ **Primary Care: Clinics in Office Practice**
Published quarterly. $40.00 per year.

This is not a renewal notice.

Name _____
Address _____
_____
City _____
State _____ Zip _____
Professional references are tax-deductible.

CHANGE OF ADDRESS
Label No. _____
Old Address _____
City _____
State _____ Zip _____
Effective _____
Send to new address shown above.

Please allow 4 to 6 weeks for delivery of new subscription and for processing address changes.

Printed in USA. Prices are US only and subject to change.

MO6746

Concise, clinical articles by leading nursing professionals . . .



Order your subscription today. Simply complete and detach the card below and drop it in the mail to receive the best clinical information in your field.

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 101 PHILADELPHIA, PA

POSTAGE WILL BE PAID BY ADDRESSEE

W.B. Saunders Company
CBS Educational & Professional Publishing
West Washington Square
Philadelphia, PA 19105-9967